Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"20050055572"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:14
L3	445	(713/151).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:13
L4	639	(726/1).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/06/10 20:14
L5	636	(726/2).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:14
L6	1313	(713/100).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:14
L7	684	(726/3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:14
L8		(plurality with initiators with initiating with communication with target with devices).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:16
L9	1	(initiators with initiating with communication with target with devices).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:36
L10	4	(initiators with initiat\$ with communication with target with devices).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:17

L11		((initiating with communication with target with devices) and (configuring with securely with communicate with target with	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2007/06/10 20:19
L12	1	device)).clm. (configuring with securely with communicate with target with device).clm.	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L13	1	(abstraction with module with configures with plurality with initiators with security with conflicts).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L14	1	(abstraction with module with configures with conflicts).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L15	1	(security with conflicts with plurality with initiators with avoided).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L16	1	(security with conflicts with plurality with initiators with avoid\$). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:22
L17	1	(security with conflicts with plurality with initiators).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L18	1	(exposing with interface with configure with plurality with initiators).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L19	1	(exposing with interface with configure with initiator\$).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L20	1	(receiving with indicat\$ with interface with select\$3 with initiator).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38

L21		(initiator\$ with configur\$ with communicat\$ with select\$3 with target with device).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/06/10 20:38
L22	1	(retriev\$ with security with database with configur\$ with security with initiators).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L23	1	(retriev\$ with security with database with configur\$ with security with initiator\$).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:39
L24	22	(identify\$ with security with configurat\$ with select\$3 initiator with retriev\$ with security)".clm",	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:39
L25	8	(identify\$ with security with configurat\$ with select\$3 initiator with retriev\$ with security).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:39
L26	22	(identify\$ with security with configurat\$ with select\$3 initiator with retriev\$ with security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:31
L27	1	(determin\$ with identif\$ with security with configuration with select\$3 with initiator with conflict with initiators)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:32
L28	1	(determin\$ with identif\$ with security with configuration with select\$3 with initiator with conflict with initiators).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:32
L29	1	(identif\$ with security with configuration with select\$3 with initiator with conflict with initiators). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:33
L30	1	(identif\$ with security with configuration with select\$3 with initiator).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:34

	•		•			
L31	1	(determin\$ with identif\$ with security with configuration with conflict with initiators).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:36
L32	1	(determin\$ with identif\$ with security with configuration with conflict).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:35
L35	1	(determin\$ with identif\$ with security with configuration with conflict with initiators)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:36
L36	1	(initiators with initiating with communication with target with devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:36
L37	1	(configuring with securely with communicate with target with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L38	1	(abstraction with module with configures with plurality with initiators with security with conflicts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L39	1	(abstraction with module with configures with conflicts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/06/10 20:37
L40	1	(security with conflicts with plurality with initiators with avoided)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L41	1	(security with conflicts with plurality with initiators with avoid\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:37
L42	2	(security with conflicts with plurality with initiators)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38

L43	1	(exposing with interface with configure with plurality with initiators)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L44	1	(exposing with interface with configure with initiator\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L45	2	(receiving with indicat\$ with interface with select\$3 with initiator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L46	3	(initiator\$ with configur\$ with communicat\$ with select\$3 with target with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:38
L47	2	(retriev\$ with security with database with configur\$ with security with initiators)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:39
L48	3	(retriev\$ with security with database with configur\$ with security with initiator\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:39
L49	22	(identify\$ with security with configurat\$ with select\$3 initiator with retriev\$ with security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:39
L51	70	(plurality with initiators).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:40
L52	173	(plurality with initiators).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:40
L53		51 and ("713"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 20:41

L54	1	51 and ("726"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2007/06/10 20:41
			IBM_TDB			

6/10/07 8:41:26 PM C:\Program Files\USPTO\EAST\Bin\default.wsp